

Product datasheet

Specifications

keylock - Eurolocks n° 850

13948



Price: 22,172.73 NGN

Main

Range Of Product	Kaedra
Product Or Component Type	Keylock
Range Compatibility	Kaedra

Complementary

Accessory / Separate Part Category	Installation accessory
Accessory / Separate Part Type	Installation accessories
Type Of Keylock	Euro lock
Key Number	850
Market Segment	Small commercial Residential

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	6.9 cm
Package 1 Length	10.3 cm
Package 1 Weight	48.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	13.1 cm
Package 2 Width	10.2 cm
Package 2 Length	22.8 cm
Package 2 Weight	553.5 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	60
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	3.813 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
<hr/>		
Reach Regulation		REACH Declaration
<hr/>		
Eu Rohs Directive		Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
<hr/>		
China Rohs Regulation		China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
<hr/>		