Product datasheet

Specification





Vivace 13A 250V 2 Gang Switched socket, Aluminium silver

KB25_AS_G2

Main

Range	Vivace
Product Or Component Type	Switched socket
Device Short Name	KB25
Device Application	Power supply
Device Presentation	Complete product
Switch Application	On/off switching
Main Colour Tint	Aluminium silver
Colour Tint	Aluminium silver

Complementary

oompromentary	
Outlet Poles Configuration	2P + E
Number Of Gangs	2 gangs
Colour Tint	Aluminium silver
Material	Polycarbonate: grid plate Polycarbonate: surround Polycarbonate: base
Projecting Depth	8 mm
Device Mounting	Flush
Mounting Support	Wall mounted
Fixing Mode	By screw M3.5
Fixing Center	120.6 mm
Embedding Depth	22.0 mm
Rated Current	13 A at 250 V AC, resistive
Network Frequency	50/60 Hz
Contacts Material	Brass and phosphor bronze
Connections - Terminals	Pillar terminal
Terminal Identifier	L N Earth
Tightening Torque	0.4 N.m
Clamping Connection Capacity	3 x 2.5 mm ² 2 x 4 mm ²
Width	147 mm
Height	87 mm

Depth 35 mm

Environment

Standards	SS 145 MS 589		
	BS 1362-2		
Ambient Air Temperature For Operation	040 °C		
Ambient Air Temperature For Storage	-560 °C		
Relative Humidity	095 %		
Operating Altitude	<= 2000 m		
Environmental Characteristic	Indoor use		
Ip Degree Of Protection	IP20		

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.1 cm
Package 1 Width	8.6 cm
Package 1 Length	14.6 cm
Package 1 Weight	148 g

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
Ø	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations